



FOGGING CONCENTRATE #1

FOR INSTITUTIONAL AND COMMERCIAL USE ONLY

KILLS ROACHES, WATERBUGS, ANTS, CLOTHES MOTHS, FLIES, BEDBUGS, AND THE EXPOSED STAGES OF INSECTS AFFECTING FLOUR, CEREALS, FOOD PRODUCTS IN STORAGE WAREHOUSES, FOOD PROCESSING AND HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
Piperonyl Butoxide, Technical*	0.6%
N-octyl bicycloheptene dicarboximide	1.0%

OTHER INGREDIENTS**	98.1%
TOTAL	100.0%

*Equivalent to 0.48% (Butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds.

**Contains Petroleum Distillates

PRENTOX® - Registered Trademark of Prentiss Incorporated

E.P.A. REG. NO. 655-511

E.P.A. EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN	
CAUTION	
FIRST AID	
Have the product container or label with you when calling a poison control center or physician or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Immediately call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	

Manufactured by: _____ 4/02a NET CONTENTS _____

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000

<p>PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION</p> <p>Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.</p> <p>Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.</p> <p style="text-align: center;">ENVIRONMENTAL HAZARDS</p> <p>This product is toxic to fish, birds, and other wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.</p> <p style="text-align: center;">PHYSICAL HAZARDS</p> <p>Do not use, or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.</p>

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roaches, waterbugs, ants, bedbugs, silverfish: Use 3 to 4 oz. for each 1000 cu. ft. of space, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall moldings, woodwork, pipe openings, breeding places and nests. Spray into hiding places, cracks & crevices, baseboards, wall moldings: spraying directly as many insects as possible.

Flies, mosquitoes, gnats: Use ½ oz. per 1000 cu. ft. of space. Apply by using equipment designed and adjusted to deliver a true aerosol mist. Close doors and windows and spray into air, directing spray up to all four corners, filling room with mist. Do not spray on processing equipment. Keep doors and windows closed 15 minutes after spraying. Clean up and destroy fallen insects. Spray when plant is not in operation. Repeat as necessary. **DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.**

Clothes Moths: When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are advisable.

Bedbugs: Spray moldings, baseboards and cracks. Also spray the bedstead paying particular attention to cracks & crevices, spraying springs and mattresses as well.

To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Chocolate Moth, Carpet Beetle, Cigarette Beetle, Flour Grain Beetle, Rice Weevils & Caddises, use 3-4 oz. per 1000 cu. ft. of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices & other hiding places. Repeat treatment as required. **KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.** Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Sanitation is necessary. Clean and remove deposits of food, grain & dust from storage areas. Clean conveyer and handling equipment.

For insects affecting stored food, as listed above, flour, grain & cereals — food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply by using equipment designed & adjusted to deliver a true aerosol mist. Close doors & windows and spray into air, directing spray up to all 4 corners, filling room with mist. Do not spray on processing equipment. Keep doors & windows closed 15 minutes after spraying. Clean up & destroy fallen insects. Spray when plant is not in operation. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.