



INSECT SPRAY AND FOGGING CONCENTRATE #1

For the control of flies, mosquitoes, small flying moths, gnats, wasps, roaches, waterbugs, silverfish, crickets, carpet beetles, bedbugs, ants, fleas, house flies, stable flies, horn flies, and exposed stages of stored product pests.

ACTIVE INGREDIENTS:

Pyrethrins	0.30%
Piperonyl Butoxide, Technical*	0.60%
N-octyl bicycloheptene dicarboximide	1.00%

**OTHER INGREDIENTS:	98.10%
TOTAL	100.00%

*Equivalent to 0.48% (Butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds.

PRENTOX® — Registered Trademark of Prentiss Incorporated

****Contains Petroleum Distillates**

KEEP OUT OF REACH OF CHILDREN	
CAUTION	
FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Immediately call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. • Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	

EPA REG. NO. 655-773

10/01c

EPA EST. NO. 655-GA-1

NET CONTENTS _____

LOT NO. _____

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to milk. Do not apply while food processing is under way. Food should be removed or covered during treatments. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

For best results, use a good clean sprayer — free of rust — which produces a fine mist.

FOR FLYING INSECTS: Flies, mosquitoes, small flying moths, gnats and wasps: Close doors and windows. Spray freely towards ceiling in all directions until room is fogged with mist. When spraying keep about 3 feet from interior walls, fabrics and furniture. Doors and windows may be opened after 10 minutes.

FOR CRAWLING INSECTS: Roaches, waterbugs, silverfish and crickets: Spray thoroughly into cracks and crevices, under and behind sinks, cupboards, drawers, woodwork, refrigerators, pipes and drains, where these insects hide. Spray directly on as many insects as possible. Repeat application as necessary.

CONTACT SPRAY — FOR CLOTHES MOTHS & CARPET BEETLES: Clean and spray closets thoroughly, to reach all hiding places. Clean and brush woolen articles. Repeat application every 30 days. When carpets are infested spray both sides thoroughly. When spraying near fabrics, keep spray in constant motion, at least 36 inches away from fabric. Spraying closer may cause stains. When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above and also spray storage container before packing. Repeated monthly applications are advisable.

FOR BEDBUGS: Spray baseboards, molding and floor boards. Spray mattresses, particularly around seams and tufts. Take beds apart and spray into all joints. Repeat application as necessary.

FOR ANTS: Spray trails, hills, around window frames and openings around pipes and baseboards, where ants crawl hitting as many as possible. Repeat application as necessary.

FOR FLEAS: Spray floors, floor coverings and sleeping quarters of pets and other infested areas. Repeat as required. Do not spray pets.

FOR OUTDOOR USE: To repel temporarily. Flies, mosquitoes, gnats, wasps, crickets, ants: On porches, terraces, lawns and at outdoor gatherings, spray frequently around chairs, tables, floors, ground and surrounding air.

CONTACT SPRAY — Use with sprayers that give large, wetting spray

Particles — To kill cockroaches, and accessible stages of granary insects: rice & granary weevil, red flour beetle, Indian meal moth larvae, caddis, grain mites and saw-toothed grain beetles, Angoumois grain moth, chocolate moth, carpet beetle, cigarette beetle, flour grain beetle. Use 3-4 oz. per 1000 cu. ft. of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices & other hiding places. Repeat treatment as required. **KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.** Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Sanitation is necessary. Clean and remove deposits of food, grain & dust from storage areas. Clean conveyer and handling equipment. For insects affecting stored food, as listed above, flour, grain & cereals — food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply by using equipment designed & adjusted to deliver a true aerosol mist. Close doors & windows and spray into air, directing spray up to all 4 corners, filling room with mist. Do not spray on processing equipment. Keep doors & windows closed 15 minutes after spraying.

Clean up and destroy fallen insects. Spray when plant is not in operation. Repeat as necessary.

Cover or remove exposed food and close room. Spray outside walls of grain bins, flooring, about base of milking machinery, walls and baseboards, areas behind cabinets around pipes and other insect harbourages using 1 gal. of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY — For use in Mechanical Fogging Equipment — Kills flies, mosquitoes, small flying moths & gnats. Cover or remove exposed food and food handling surfaces. Close room, making sure to shut off all air conditioning or ventilation equipment. Dilute with deodorized kerosene at a rate of 1 part concentrate with 4 parts kerosene. Apply at the rate of 50 fl. oz. of spray per 25,000 cu. ft. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THIS PRODUCT IN THESE AREAS APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PLASTIC CONTAINER DISPOSAL: If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.