

Material Safety Data Sheet
U.S. Department of Labor (OSHA 29 CFR 1910.1200)

Section 1: Product and Company Identification

Product: 655-3 Prentox® Cube Powder

Manufacturer's Name: Prentiss Incorporated
 C. B. 2000
 Floral Park, NY 11001

Telephone Number: (516) 326-1919

Section II: Composition/Information on Ingredients

Ingredient Name:	OSHA PEL	ACGIH TLV	%
Rotenone (CAS # 83-79-4)	(TWA) 5 mg/M ³	(TWA) 5 mg/M ³	7.4
Other Cube Resins	None	None	11.1
Other Ingredients	None	None	81.5

Section 3: Hazards Identification:

Emergency Overview:

A tan powder with a wet chalk or dirt-like odor.

- Fatal if inhaled or swallowed
- Harmful if absorbed through skin
- Causes moderate eye irritation
- May cause allergic skin reactions in some individuals
- This pesticide is extremely toxic to fish

Potential Health Effects:

Primary Route(s) of Entry:

Ingestion, inhalation, and skin contact

Eyes:

Causes moderate eye irritation

Skin:

Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals.

Ingestion:

Fatal if swallowed

Inhalation:

Fatal if inhaled

Signs and symptoms of acute overexposure:

May cause irritation of the eyes, nose and throat in addition to temporary numbness. Prolonged or repeated exposure can cause nausea, vomiting, abdominal cramps, muscle tremors, poor muscle coordination, seizures, shallow breathing, skin rashes and eye, nose and mouth lesions.

Section 4: First Aid Measures:

Eyes:

Flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists

Skin:

Wash with plenty of soap and water. Get medical attention if irritation persists

Ingestion:

Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Inhalation:

Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention

Note to Physician:

If a small amount is ingested (or if treatment is delayed), oral administration of large amounts of activated charcoal and a cathartic is probably sufficient therapy.

Do not administer milk, cream or other substances containing vegetable or animal fats, which enhance the absorption of lipophilic substances.

Section 5: Fire Fighting Measures:

Extinguishing Media:

Carbon dioxide, dry chemical, foam or water

Fire Fighting Instructions:

As in any fire, wear self-contained breathing apparatus, pressure demand, MSHA/NIOSH approved (or equivalent), and full protective gear. Keep upwind. Isolate hazard area. Avoid inhalation of smoke and fumes. Use water or foam to reduce fumes. Do not touch spilled material. If possible, move containers from area. Extinguish only if flow can be stopped. Use flooding amounts of water as a fog. Cool containers with flooding amounts of water from as far a distance as possible. Avoid breathing vapors.

Flammability Classification/Rating:

NFPA/OSHA Class: IIIB

NFPA Rating (Fire): 1

Section 6: Accidental Release Measures:

General and Disposal: Use proper protective equipment to minimize personal exposure (see Section 8). Take all necessary action to prevent and to remedy the adverse effect of the spill. Ensure that the disposal is in compliance with all Federal, State/Provincial, and local regulations (see Section 13 for applicable RCRA number). Refer to Section 15 for applicable Reportable Quantity (RQ) and other regulatory requirements.

Land Spill: Sweep or shovel spilled material into a tightly sealed container. Dispose of with chemical waste.

Section 7: Handling and Storage:

Handling Precautions:

Do not breathe dust. Avoid contact with eyes, skin or clothing.

Storage Precautions:

Do not contaminate water, food or feed by storage. Store in a dry place, away from excessive temperature extremes.

Work/Hygienic Practices:

Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Section 8: Exposure Controls/Personal Protection:

Manufacturing, formulation and other Non-Agricultural uses.**Engineering controls:**

Control airborne concentrations below the appropriate exposure guideline (see Section 2 for applicable OSHA/ACGIH Exposure Limits). Local exhaust ventilation may be necessary.

Eye/Face Protection:

Wear safety glasses, splash goggles or face shield.

Skin Protection:

Wear chemical resistant gloves (Neoprene, Nitrile rubber or PVC) and other protective clothing to avoid skin contact.

Respiratory Protection:

Ensure good ventilation. If not adequate, use a chemical cartridge type respirator approved by the National Institute of Occupational Health and Safety.

General Protection:

Eye wash facility and safety shower should be available. Wear a protective apron, long sleeves and pants to prevent skin contact.

Section 9: Physical and Chemical Properties:

Appearance:

Tan powder

Odor:

Wet chalk or dirt-like odor.

Basic Physical Properties:

Physical State: Solid

Solubility (H₂O): Insoluble

Bulk Density: Fluffed – 0.24 gm/cm³ (14.7 lb./cu. Ft.). Packed – 0.45 gm/cm³ (28.1 lb./cu. Ft.)

Section 10: Stability and Reactivity:

Stability: Stable.

Conditions to Avoid (Stability): High temperatures and constant exposure to sunlight

Incompatible Materials: Avoid strong oxidizers and reducing agents

Hazardous Polymerization: Will not occur

Section 11: Toxicological Information:

The following data were developed with rotenone dust containing 5% rotenone.

Eye Effects:

Irritation (Rabbit): Slightly irritating.

Skin Effects:

Irritation (Rabbit): Non-irritating.

Absorption (Rabbit): LD₅₀ > 2,020 mg/kg (Slightly Toxic).

Sensitization (Guinea Pig): Sensitizing

Acute Oral Effects:

LD₅₀ (Rat, male): 874 mg/kg (Slightly Toxic).

(Rat, female): 99.2 mg/kg (Moderately Toxic).

Acute Inhalation Effects:

4 hour LC₅₀ (Rat, Male): 0.087 mg/L (Moderately Toxic).

4 hour LC₅₀ (Rat, Female): 0.045 mg/L (Highly Toxic).

4 hour LC₅₀ (Rat): 0.056 mg/L (Moderately Toxic).

Note: the severity classifications listed above are those of Prentiss Incorporated, and, particularly for eye irritation, may not always coincide with EPA-mandated Precautionary Statements.

The following data were developed with rotenone, the active ingredient in this product.

Chronic (Cancer) Information:

Rotenone was not carcinogenic when tested in rats and mice.

Carcinogenicity: **NTP:** No **IARC:** No **OSHA:** No

Teratogenicity (Birth Defects):

Rotenone was not teratogenic or fetotoxic when tested in rats and mice.

Reproductive Effects:

Rotenone had no adverse effects on reproduction when tested over two successive generations in rats.

Mutagenicity (Genetic Effects):

Rotenone was not mutagenic nor clastogenic when tested in the Ames test, Yeast test, Mouse Lymphoma test, Mouse Micronucleus test, Chromosome Aberration test and the Mitotic Recombination test in Yeast.

Section 12: Ecological Information:

Other Environmental Information:

This pesticide is extremely toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA

Section 13: Disposal Considerations:

Do not contaminate water, food or feed by disposal.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

RCRA Information:

RCRA Hazardous Waste Ingredients: None.

Section 14: Transport Information:

Proper Shipping Name: Pesticide, Solid, Toxic, n.o.s. (Rotenone)

Hazard Class: 6.1, PG I

DOT Identification Number: UN2588

DOT Shipping Label: POISON

Additional Shipping Paper Description: Marine Pollutant

Note: For transport purposes (49 CFR Part 173.132), the calculated 1 hour LC₅₀ (Rat) is: 0.224 mg/L (dust)

Section 15: Regulatory Information:

U.S. Federal Regulatory Information:

EPA Reg. No.: 655-3

TSCA Inventory: Registered pesticide, exempt from TSCA.

SARA Title III Notification and Information:

Section 302 (EHS) ingredients: None.

Section 304 (CERCLA & EHS) ingredients (RQ): None.

Section 313 ingredients: None.

SARA Title III Notifications and Information:

SARA Title III Hazard Classes:

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactivity Hazard: No

Product: 655-3 Prentox® Cube Powder

Regulated Ingredients:

Ingredient: Rotenone

CAS Number: 83-79-4

Percent by Weight: 7.4

Regulations:

Illinois Toxic Substance

Massachusetts Hazardous Substance

New Jersey Special Health Hazardous Substance

New Jersey Workplace Hazardous Substance

Pennsylvania Workplace Hazardous Substance

U.S. State Regulatory Information:

California (Proposition 65): This product does not contain any chemical which is known to the State of California to cause cancer or birth defects, or other reproductive harm.

Canadian Regulatory Information:

CPC Number: None

WHMIS Classification for Control Product Regulations (CPR): Registered pesticide under US FIFRA regulations; exempt from CPR classification.

The MSDS contains all CPR required hazard-related information.

WHMIS Hazard Rating: See HMIS rating (Section 16).

Section 16: Other Information:

NFPA Hazard Rating:

Health: 2 – Moderate

Fire: 1 – Slight

Reactivity: 0 – Negligible

Special:

HMIS Hazard Rating:

Health: 2 – Moderate

Fire: 1 – Slight

Reactivity: 0 – Negligible

Protection: J

Date Prepared: August 14, 2000

Supersedes: November 3, 1997

Reason: Revision of sections 3, 5, 6, 7, 8, 9, 11, 13, 14, 15

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.